





	HOLEX P/N/A 098821000	WHITE
	HOLEX P/N/A 098821001	BLACK
	HOLEX P/N/A 098821002	GREEN
	HOLEX P/N/A 098821004	GREY
	HOLEX P/N/A 098821009	BROWN

CAMMETS PITCH 5/1

W-M
5 : 1

CLEARANCE FOR CONNECTOR MATED AND UNMATED 2/1

HOLDING IN FIXTURE DIMENSION PRIOR TO LOCKING 2/1

LEAVE CLEARANCE TO CONNECTOR 2/1

HOLDING IN FIXTURE DIMENSION WHEN CONNECTOR MATED 2/1

REVISIONS

REV.	DESCRIPTION	DATE
1	INITIAL DESIGN	20/07/10
2	DESIGN CHANGE	20/07/10
3	DESIGN CHANGE	20/07/10
4	DESIGN CHANGE	20/07/10
5	DESIGN CHANGE	20/07/10
6	DESIGN CHANGE	20/07/10
7	DESIGN CHANGE	20/07/10
8	DESIGN CHANGE	20/07/10
9	DESIGN CHANGE	20/07/10
10	DESIGN CHANGE	20/07/10

GENERAL DIMENSIONS

ITEM	UNIT	VALUE
1	MM	4.1
2	MM	1.0
3	MM	1.0
4	MM	1.0
5	MM	1.0
6	MM	1.0
7	MM	1.0
8	MM	1.0
9	MM	1.0
10	MM	1.0

TERMINAL DATA

TERM RPT 2 & MM UCC2	SCC RPT TERM 13 MM	HOLEX P/N
RANGE 1	RANGE 1	098821009
RANGE 2	RANGE 2	098821009
RANGE 3	RANGE 3	098821009

REVISIONS

REV. 1: INITIAL DESIGN (20/07/10)

REV. 2: DESIGN CHANGE (20/07/10)

REV. 3: DESIGN CHANGE (20/07/10)

REV. 4: DESIGN CHANGE (20/07/10)

REV. 5: DESIGN CHANGE (20/07/10)

REV. 6: DESIGN CHANGE (20/07/10)

REV. 7: DESIGN CHANGE (20/07/10)

REV. 8: DESIGN CHANGE (20/07/10)

REV. 9: DESIGN CHANGE (20/07/10)

REV. 10: DESIGN CHANGE (20/07/10)

GENERAL DIMENSIONS

ITEM 1: 4.1 MM

ITEM 2: 1.0 MM

ITEM 3: 1.0 MM

ITEM 4: 1.0 MM

ITEM 5: 1.0 MM

ITEM 6: 1.0 MM

ITEM 7: 1.0 MM

ITEM 8: 1.0 MM

ITEM 9: 1.0 MM

ITEM 10: 1.0 MM

TERMINAL DATA

TERM RPT 2 & MM UCC2

SCC RPT TERM 13 MM

HOLEX P/N

REVISIONS

REV. 1: INITIAL DESIGN (20/07/10)

REV. 2: DESIGN CHANGE (20/07/10)

REV. 3: DESIGN CHANGE (20/07/10)

REV. 4: DESIGN CHANGE (20/07/10)

REV. 5: DESIGN CHANGE (20/07/10)

REV. 6: DESIGN CHANGE (20/07/10)

REV. 7: DESIGN CHANGE (20/07/10)

REV. 8: DESIGN CHANGE (20/07/10)

REV. 9: DESIGN CHANGE (20/07/10)

REV. 10: DESIGN CHANGE (20/07/10)

GENERAL DIMENSIONS

ITEM 1: 4.1 MM

ITEM 2: 1.0 MM

ITEM 3: 1.0 MM

ITEM 4: 1.0 MM

ITEM 5: 1.0 MM

ITEM 6: 1.0 MM

ITEM 7: 1.0 MM

ITEM 8: 1.0 MM

ITEM 9: 1.0 MM

ITEM 10: 1.0 MM

TERMINAL DATA

TERM RPT 2 & MM UCC2

SCC RPT TERM 13 MM

HOLEX P/N

REVISED
PC No. 6205-0390

DESIGNER: [Name]
CHECKED: [Name]
APPROVED: [Name]

DATE: 20/07/10

PROJECT: [Name]

REV. 1: INITIAL DESIGN (20/07/10)

REV. 2: DESIGN CHANGE (20/07/10)

REV. 3: DESIGN CHANGE (20/07/10)

REV. 4: DESIGN CHANGE (20/07/10)

REV. 5: DESIGN CHANGE (20/07/10)

REV. 6: DESIGN CHANGE (20/07/10)

REV. 7: DESIGN CHANGE (20/07/10)

REV. 8: DESIGN CHANGE (20/07/10)

REV. 9: DESIGN CHANGE (20/07/10)

REV. 10: DESIGN CHANGE (20/07/10)

- INITIAL CONNECTION MUST BE MADE WITH MATED CONNECTOR
- THE USING CONDITIONS OF THE PART ARE INDICATED IN THE HOLES SPECIFICATION IN AS-8882-001
- HOLDING FORCE MUST BE 10N
- DO NOT LOCK THE FIXTURE WITH THE APPLICATOR BUSH
- DO NOT LOCK THE FIXTURE WITH THE APPLICATOR BUSH
- DO NOT DAMAGE THE PART ON THE APPLICATOR BUSH
- INITIAL TERMINAL LEADS SEE CHART BELOW

REVISIONS

REV.	DESCRIPTION	DATE
1	INITIAL DESIGN	20/07/10
2	DESIGN CHANGE	20/07/10
3	DESIGN CHANGE	20/07/10
4	DESIGN CHANGE	20/07/10
5	DESIGN CHANGE	20/07/10
6	DESIGN CHANGE	20/07/10
7	DESIGN CHANGE	20/07/10
8	DESIGN CHANGE	20/07/10
9	DESIGN CHANGE	20/07/10
10	DESIGN CHANGE	20/07/10

GENERAL DIMENSIONS

ITEM	UNIT	VALUE
1	MM	4.1
2	MM	1.0
3	MM	1.0
4	MM	1.0
5	MM	1.0
6	MM	1.0
7	MM	1.0
8	MM	1.0
9	MM	1.0
10	MM	1.0

TERMINAL DATA

TERM RPT 2 & MM UCC2	SCC RPT TERM 13 MM	HOLEX P/N
RANGE 1	RANGE 1	098821009
RANGE 2	RANGE 2	098821009
RANGE 3	RANGE 3	098821009

