

DEUTSCH  
INDUSTRIAL


DEUTSCH PART NUMBER LABEL

CONTACT ORIENTATION ON REEL FOR AUTO CRIMP MACHINE


REV C 1060-12-01 \*\*

SECTION A-A  
CONDUCTOR WINGS

SECTION B-B  
INSULATION WINGS



REVISIONS			
SYM	DESCRIPTION	DATE	APPROVED
NC	NEW RELEASE PER E.O. P15224	02-17-97	R.D.R.
A	REVISED PER E.O. P15646	05-29-98	R.D.R.
B	REVISED PER E.O. P16978	12-11-00	R.D.R.
C	REVISED PER E.O. P19555	7-11-07	APR



7. CONTACT MATERIAL CONTAINS 98% COPPER MINIMUM.

6. WHEN \*\* = 44 PLATING IS GOLD.  
      \*\* = 66 PLATING IS TIN/NICKEL.

5. SEE 0425-015-0000 FOR CONTACT PERFORMANCE AND WIRE APPLICATION CHARACTERISTICS.

4. THIS CONTACT MAY BE CRIMPED WITH DCT12-02-00 AUTOMATIC DIE OR DTT-12-00 HAND TOOL. SEE DRAWING 0425-208-0000 FOR APPLICABLE WIRE SIZE, INSULATION DIAMETER RANGE, AND CRIMPING INFORMATION.

3. ONE REEL CONTAINS APPROXIMATELY 2500 CONTACTS.

2. DIMENSION TOLERANCE:  $\pm .025$  [1.64].

1. DIMENSIONS ARE IN INCHES [mm].

NOTES: UNLESS OTHERWISE SPECIFIED

SIGNATURE & DATE	
DR	D. MEYER 11/11/00
CHK	[Signature] 9/11/87
PE	[Signature] 7/16/87
APPD	[Signature] 7-11-07
SCALE	NONE WT

STAMPED CONTACT  
PIN  
SIZE 12

ENVELOPE

EP	EP058	MIL CODE
The Deutsch Company		
DEUTSCH I.P.O. 3850 INDUSTRIAL AVE. HEMET, CALIF. 92545		
B	1060-12-01 **	
DWG NO.	CODE 11139	SHEET   OF

