






THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT	ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
F	LYR	DESCRIPTION	DATE	OWN	APVD
		W2 REVISED PER ECO-11-005140	01APR11	RK	HMR



SCALE 2:1



1 BLOCCETTO ADATTO PER TERMINALI FEMMINA PER LA SERIE 6.3 mm FASTON CON RANGO FILO DA 0.8-2.5 mm². (SUITABLE FOR RECEPTACLE TERMINALS WITH WIRE RANGE 0.8-2.5 mm²).

2 BAVA ACCETTABILE: 0.3 MAX (FLASH PERMISSIBLE: 0.3 MAX.)

3 SPECIFICA DI PRODOTTO: 108-20035 (PRODUCT SPEC.: 108-20035)

4 NON ANCORA RILASCIATO IN PRODUZIONE (NOT YET RELEASED FOR PRODUCTION)

NOTE	COLORE (COLOUR)	MATERIALE (MATERIAL)	PART NUMBER	REV
1,2,3	NATURALE (NATURAL)	PA 6 UNFILLED, UL 94-V0 (IEC 60335-1), DR 750°C, NO FLAME	280232-8	W
1,2,3	NATURALE (NATURAL)	PA 6.6 UL 94-V0 (PA 6.6 UL 94-V0 UNFILLED)	280232-6	U
1,2,3	NERO (BLACK)	PA 6.6	280232-5	U
1,2,3	ROSSO (RED)	PA 6.6 (PA 6.6 UNFILLED)	280232-1	U
1,2,3	NATURALE (NATURAL)	PA 6.6	280232-0	U

DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DRAWN BY: YAALI		290CT2004		TE Connectivity	
		0 PLC ±- 1 PLC ±0.3 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES 45°		NAME: G. TURCO PRODUCT SPEC: SEE NOTE 3 APPLICATION SPEC:		NAME: POST INSULATION FOR FASTON 6.3 mm series RECEPTACLE CONTACT		SIZE: A3 CASE CODE: 00779 DRAWING NO: C=280232	
MATERIAL: SEE TABLE		FINISH: -		WEIGHT: -		CUSTOMER DRAWING		SCALE: 3:1 SHEET 1 of 1 REV: W2	

